UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/573,506	03/27/2006	Hiroshi Doi	MAT-8833US	3559
52473 RATNERPRES	7590 12/08/200 STIA	EXAMINER		
P.O. BOX 980		BATISTA, MARCOS		
VALLEY FORGE, PA 19482			ART UNIT	PAPER NUMBER
			2617	
			MAIL DATE	DELIVERY MODE
			12/08/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)				
Office Action Summary		10/573,506	DOI ET AL.				
		Examiner	Art Unit				
		MARCOS BATISTA	2617				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)[\	Responsive to communication(s) filed on <u>01 Oc</u>	etoher 2009					
· · · · · · · · · · · · · · · · · · ·							
′=	<i>/</i>						
٥/١	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
	closed in accordance with the practice under L	x parte quayre, 1955 C.D. 11, 40	.J. O.G. 215.				
Dispositi	on of Claims						
4)🛛)⊠ Claim(s) <u>1,2 and 4-7</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
	5) Claim(s) is/are allowed.						
· · _ ·	6)⊠ Claim(s) <u>1, 2 and 4-7</u> is/are rejected.						
· · · · · · · · · · · · · · · · · · ·	Claim(s) is/are objected to.						
•	Claim(s) are subject to restriction and/or	election requirement.					
Application Papers							
9) The specification is objected to by the Examiner.							
10)	The drawing(s) filed on is/are: a)∏ acce						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	ınder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) Notic 3) Inforr	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite				

Art Unit: 2617

DETAILED ACTION

1. This Action is in response to Applicant's amendment filed on 10/01/2009. Claims

1, 2 and 4-7 are still pending in the present application. This Action is made **FINAL**.

Response to Arguments

2. Applicant's arguments with respect to claims 1, 6 and 7 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claims 1, 4-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Radimirsch et al. (US 6212202 B1), hereafter "Radimirsch," in view of Haartsen (US 20090122775 A1), hereafter "Haartsen," further in view of Alastalo (US 20040066762 A1), hereafter "Alastalo."

Consider claim 1, Radimirsch discloses a radio communication method including, a first channel in which a first radio communication device and a second radio communication device perform data communication, and which is in a sleep mode at an initial stage, and also a second channel in which communication is always possible, and which has lower power consumption than the first channel, comprising (see figs. 3 and 4, col. 1 lines 60-67, col. 3 lines 7-8 and col. 4 lines 24-36): a step in which the first radio communication device transmits control information to the second radio communication device in the second channel, the control information including communication time reservation request information in which a time slot when data transmission will be performed written (see col. 3 lines 32-37 and line 66 - col. 4 line 4, col. 4 lines 24-36); a step in which the second radio communication device receives the control information in the second channel and puts the first channel in a data reception operating mode (see col. 4 lines 33-36); and a step in which after transmitting and receiving of data are performed in the first channel between the first

radio communication device and the second radio communication device, the reception in the first channel is returned to the sleep mode (see col. 4 lines 26-30); a step in which if the communication time reservation request information included in the received control information is addressed to the second radio communication device, in the second channel it transmits communication time reservation response information in which information notifying that communication reservation addressed to the second radio communication device has been received is added to the communication time reservation request information (see col. 4 line 67 - col. 5 line 3, col. 5 lines 28-43); wherein the first radio communication device transmits data using the second channel in the time slot designated by the communication time reservation request information (see col. 4 line 67 - col. 5 line 3, col. 5 lines 28-43).

Radimirsch, however, does not particular refer to a first channel in which a first radio communication device and a second radio communication device which are Ultra Wide Band (UWB) radio communication devices perform data communication.

Haartsen, in analogous art, teaches a first channel in which a first radio communication device and a second radio communication device which are UWB radio communication devices perform data communication (see pars. 0115 lines 1-7, 0118 lines 9-22).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the invention of Radimirsch and have it include a first channel in which a first radio communication device and a second radio communication device which are UWB radio communication devices perform data communication, as

Art Unit: 2617

taught by Haartsen. The motivation would have been in order to *increase the transmission bandwidth* (see par. 0115 lines 1-7).

Radimirsch as modified by Haartsen, however, does not particular refer to a step in which a third radio communication device located in an area where communication is possible with the first radio communication device or the second radio communication device or both receives the communication time reservation request information from the first radio communication device or the communication time reservation response information from the second radio communication device or both in the second channel, and stores the time slot written in the communication time reservation request information or the communication time reservation response information as a transmission prohibition time slot, together with an identifier of the first radio communication device and an identifier of the second radio communication device in a communication prohibition table and a step in which the third radio communication device decides a time slot in which its own transmission and reception are possible, based on the stored time slots of transmission prohibition.

Alastalo, in analogous art, teaches a step in which a third radio communication device located in an area where communication is possible with the first radio communication device or the second radio communication device or both receives the communication time reservation request information from the first radio communication device or the communication time reservation response information from the second radio communication device or both in the second channel, and stores the time slot written in the communication time reservation request information or the communication

Art Unit: 2617

time reservation response information as a transmission prohibition time slot, together with an identifier of the first radio communication device and an identifier of the second radio communication device in a communication prohibition table and a step in which the third radio communication device decides a time slot in which its own transmission and reception are possible, based on the stored time slots of transmission prohibition (see figs. 1 and 2, pars. 0040 lines 1-5, 0051 lines 1-10, 0052 lines 1-9 — where Alastalo teaches a plurality of wireless node that can determined their own transmission slot based on the schedule information transmitted among neighboring nodes and that can determined their transmission slot based on the MAC address included in the schedule).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the invention of Radimirsch as modified by Haartesn and have it include a step in which a third radio communication device located in an area where communication is possible with the first radio communication device or the second radio communication device or both receives the communication time reservation request information from the first radio communication device or the communication time reservation response information from the second radio communication device or both in the second channel, and stores the time slot written in the communication time reservation request information or the communication time reservation response information as a transmission prohibition time slot, together with an identifier of the first radio communication device and an identifier of the second radio communication device in a communication prohibition table and a step in which the third

radio communication device decides a time slot in which its own transmission and reception are possible, based on the stored time slots of transmission prohibition, as taught by Alastalo. The motivation would have been in order to *avoid collisions* (see par. 0051lines 1-10).

Consider claim 4, Radimirsch as modified by Haartsen and Alastalo discloses claim 1. Radimirsch also discloses a step in which the second radio communication device requests the first radio communication device to transmit communication time reservation request information using the second channel (see col. 3lines 26-67), and wherein the first radio communication device transmits the control information in response to the request from the second radio communication device in either the first channel or the second channel (see col. 5 lines 28-43).

Consider claim 5, Radimirsch as modified by Haartsen and Alastalo discloses claim 1. Radimirsch also discloses wherein the first radio communication device further performs multicasting to the second radio communication device in the second channel (see col. 4 lines 28-43, col. 5 lines 60-63).

Consider claim 6, Radimirsch discloses a second radio communication device communicating with a first communication device and a third communication device, the second communication device comprising (see fig. 2, col. 2 lines 59-65): first receiving unit receiving a preamble (i. e., header) in a narrowband channel in which reception is

Art Unit: 2617

always possible, the first receiving unit receiving control information from the first radio communication device including a communication time reservation request information in which a time slot when data transmission will be performed; (see fig. 1, col. 2 lines 41-48, see col. 3 lines 32-37 and line 66 - col. 4 line 4, col. 5 lines 58-63); and a communication data selection unit controlling the power saving in said second receiving unit in the case where the communication data selection unit receives the preamble from said first receiving unit (see col. 2 lines 41-48, col. 4 lines 24-36), and wherein said communication data selection unit puts said second receiving unit in a power saving mode, and when said communication data selection unit receives the preamble from said first receiving unit (see col. 2 lines 41-48, col. 4 lines 24-36); wherein the communication time reservation request information included in the received control information is addressed to the second radio communication device, in the narrowband channel it transmits communication time reservation response information in which information notifying that communication reservation addressed to the second radio communication device has been received is added to the communication time reservation request information (see col. 4 line 67 - col. 5 line 3, col. 5 lines 28-43); wherein the first radio communication device transmits data using the narrowband channel in the time slot designated by the communication time reservation request information (see col. 4 line 67 - col. 5 line 3, col. 5 lines 28-43).

Radimirsch, however, does not particular refer to a second receiving unit receiving data in an UWB channel, and which can save power; said communication

data selection unit cancels the power saving mode in said second receiving unit and conducts reception of data in the UWB channel.

Haartsen, in analogous art, teaches a second receiving unit receiving data in an UWB channel, and which can save power (see pars. 0115 lines 1-7, 0118 lines 9-22); said communication data selection unit cancels the power saving mode in said second receiving unit and conducts reception of data in the UWB channel (see pars. 0115 lines 1-7, 0118 lines 9-22).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the invention of Radimirsch and have it include a second receiving unit receiving data in an UWB channel, and which can save power; said communication data selection unit cancels the power saving mode in said second receiving unit and conducts reception of data in the UWB channel, as taught by Haartsen. The motivation would have been in order to *increase the transmission bandwidth and battery operation duration* (see pars. 0115 lines 1-7, 0118 lines 9-22).

Radimirsch as modified by Haartsen, however, does not particular refer to a step in which a third radio communication device located in an area where communication is possible with the first radio communication device or the second radio communication device or both receives the communication time reservation request information from the first radio communication device or the communication time reservation response information from the second radio communication device or both in the second channel, and stores the time slot written in the communication time reservation request information or the communication time reservation response information as a

Art Unit: 2617

transmission prohibition time slot, together with an identifier of the first radio communication device and an identifier of the second radio communication device in a communication prohibition table and a step in which the third radio communication device decides a time slot in which its own transmission and reception are possible, based on the stored time slots of transmission prohibition.

Alastalo, in analogous art, teaches a step in which a third radio communication device located in an area where communication is possible with the first radio communication device or the second radio communication device or both receives the communication time reservation request information from the first radio communication device or the communication time reservation response information from the second radio communication device or both in the second channel, and stores the time slot written in the communication time reservation request information or the communication time reservation response information as a transmission prohibition time slot, together with an identifier of the first radio communication device and an identifier of the second radio communication device in a communication prohibition table and a step in which the third radio communication device decides a time slot in which its own transmission and reception are possible, based on the stored time slots of transmission prohibition (see figs. 1 and 2, pars. 0040 lines 1-5, 0051 lines 1-10, 0052 lines 1-9 – where Alastalo teaches a plurality of wireless node that can determined their own transmission slot based on the schedule information transmitted among neighboring nodes and that can determined their transmission slot based on the MAC address included in the schedule).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the invention of Radimirsch as modified by Haartesn and have it include a step in which a third radio communication device located in an area where communication is possible with the first radio communication device or the second radio communication device or both receives the communication time reservation request information from the first radio communication device or the communication time reservation response information from the second radio communication device or both in the second channel, and stores the time slot written in the communication time reservation request information or the communication time reservation response information as a transmission prohibition time slot, together with an identifier of the first radio communication device and an identifier of the second radio communication device in a communication prohibition table and a step in which the third radio communication device decides a time slot in which its own transmission and reception are possible, based on the stored time slots of transmission prohibition, as taught by Alastalo. The motivation would have been in order to avoid collisions (see par. 0051lines 1-10).

Consider claim 7, this claim discusses the same subject matter as claim 6.

Therefore, it has been analyzed and rejected based upon the rejection to claim 6.

7. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Radimirsch et al. (US 6212202 B1), hereafter "Radimirsch," in view of Haartsen (US

20090122775 A1), hereafter "Haartsen," further in view of Alastalo (US 20040066762 A1), hereafter "Alastalo," and further in view of Koval (US 20040109497 A1), hereafter "Koval."

Consider claim 2, Radimirsch as modified by Haartsen and Alastalo discloses claim 1. Radimirsch also discloses the first channel is a wideband transmission channel and the second channel is a narrowband transmission channel (see col. 4 lines 45-51). Haartsen also teaches wherein both the first radio communication device and the second radio communication device are UWB radio communication devices (see pars. 0115 lines 1-7, 0118 lines 9-22).

The motivation would have been in order to *increase the transmission bandwidth* (see par. 0115 lines 1-7).

Radimirsch as modified by Haartsen and Alastalo, however, does not particular refer to a narrowband transmission channel whose modulation and demodulation rates are set to be less than or equal to a predetermined value.

Koval, in analogous art, teaches a narrowband transmission channel whose modulation and demodulation rates are set to be less than or equal to a predetermined value (see pars. 0011 lines 5-11, 0014 lines 5-11).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the invention of Radimirsch as modified by Haartsen and Alastalo and have it include a narrowband transmission channel whose modulation and demodulation rates are set to be less than or equal to a predetermined value, as taught

Art Unit: 2617

by Koval. The motivation would have been in order for a transmitter and a receiver to coordinate on a modulation scheme (see pars. 0011 lines 5-11, 0014 lines 5-11).

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Marcos Batista, whose telephone number is (571) 270-5209. The Examiner can normally be reached on Monday-Thursday from 8:00am to 5:00pm.

Art Unit: 2617

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Rafael Pérez-Gutiérrez can be reached at (571) 272-7915. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

/Marcos Batista/ Examiner

/Rafael Pérez-Gutiérrez/ Supervisory Patent Examiner, Art Unit 2617

12/03/2009